L Number	Hits	Search Text	DB	Time stamp
-	2	((("4637719") or ("5028790") or ("5617212")).PN.) and opacity	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:08
-	422	opacity with gas$2	USPAT; US-PGPUB; EPO; JPO	2003/10/09 16:43
-	1	(opacity with gas$2) and (homogeneous with light)	USPAT; US-PGPUB; EPO; JPO	2003/10/09 16:44
-	173	(opacity with gas$2) and percent	USPAT; US-PGPUB; EPO; JPO	2003/10/09 16:45
-	24	(opacity with gas$2) and (percent with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/09 16:46
-	0	((("4637719") or ("5028790") or ("5617212")).PN.) and percent	USPAT; US-PGPUB; EPO; JPO	2003/10/09 16:46
-	0	"09964242"	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:37
-	1	"09/964242"	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:38
-	15	transmissometer and (gas$2 with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:05
-	3	((gas$2 with opacit$3) and (percent with opacit$3)) and diode$1	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:41
-	5	((gas$2 with opacit$3) and (percent with opacit$3)) and diffus$3	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:44
-	3	((gas$2 with opacit$3) and (percent with opacit$3)) and ((light ray$1 beam$1 radiation) with (uniform homogen$5 even))	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:45
-	3	(transmissometer and (gas$2 with opacit$3)) and ((light ray$1 beam$1 radiation) with (uniform homogen$5 even))	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:52
-	36	(transmissometer and (gas$2 with opacit$3)) ((gas$2 with opacit$3) and (percent with opacit$3))	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:52
-	8	((transmissometer and (gas$2 with opacit$3)) ((gas$2 with opacit$3) and (percent with opacit$3))) and diode$1	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:53
-	1	((transmissometer and (gas$2 with opacit$3)) ((gas$2 with opacit$3) and (percent with opacit$3))) and (diode$1 with (angl$3 angular degree$1))	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:53
-	1	((transmissometer and (gas$2 with opacit$3)) ((gas$2 with opacit$3) and (percent with opacit$3))) and glare	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:58
-	4	((transmissometer and (gas$2 with opacit$3)) ((gas$2 with opacit$3) and (percent with opacit$3))) and astm	USPAT; US-PGPUB; EPO; JPO	2003/10/14 16:59
-	1	astm adj d6216-98	USPAT; US-PGPUB; EPO; JPO	2003/10/15 12:00
-	7	("4017186" | "4176960" | "4435093" | "4871251" | "5451787" | "5751423" | "5815264").PN.	USPAT	2003/10/15 11:44
-	0	6476911.URPN.	USPAT	2003/10/15 11:54
-	13	("3850529" | "3994601" | "3997271" | "4017193" | "4050814" | "4126396" | "4222641" | "4247205" | "4294524" | "4333724" | "4364639" | "4422729" | "4432649").PN.	USPAT	2003/10/15 11:54
-	6	4640621.URPN.	USPAT	2003/10/15 11:56
-	1950	((250/338.5,339.13) or (356/437,438) or (73/1.02,1.06,23.3)).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/10/15 12:00

-	31	(((250/338.5,339.13) or (356/437,438) or (73/1.02,1.06,23.3)).CCLS.) and (gas$2 with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 12:01
-	3	(("4637719") or ("5028790") or ("5617212")).PN.	USPAT; US-PGPUB; EPO; JPO	2003/10/15 12:37
-	20	traina-john-e	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:00
-	2482	diffus$3 same magnesium	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:00
-	3	(diffus$3 same magnesium) and (((250/338.5,339.13) or (356/437,438) or (73/1.02,1.06,23.3)).CCLS.)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:30
-	2	((396/199).CCLS.) and diode	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:31
-	0	(((396/199).CCLS.) and diode) and (homogen$5 even uniform)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:31
-	11	(US-6380110-$ or US-6476911-$ or US-6381987-$ or US-6372025-$ or US-5154734-$ or US-4544273-$ or US-4640621-$ or US-4871251-$ or US-6570655-$ or US-5617212-$ or US-5831730-$).did.	USPAT	2003/10/15 13:34
-	4	((US-6380110-$ or US-6476911-$ or US-6381987-$ or US-6372025-$ or US-5154734-$ or US-4544273-$ or US-4640621-$ or US-4871251-$ or US-6570655-$ or US-5617212-$ or US-5831730-$).did.) and voltage	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:34
-	101	transmissometer	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:35
-	424	gas$2 with opacit$3	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:36
-	510	transmissometer (gas$2 with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 13:36
-	24	(396/199).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:46
-	32585	(led diode) with (holder clamp lead$1)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:47
-	510	transmissometer (gas$2 with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:47
-	7	((led diode) with (holder clamp lead$1)) and (transmissometer (gas$2 with opacit$3))	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:50
-	878	((led diode) with (holder clamp lead$1)) and 362/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:50
-	38	(((led diode) with (holder clamp lead$1)) and 362/$.ccls.) and ((led diode) adj holder)	USPAT; US-PGPUB; EPO; JPO	2003/10/15 16:51
-	5	ups.as.	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:10
-	299	"united parcel service".as.	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:10
-	37	"united parcel service".as. and (led$1 diode)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:20
-	40742	(led$1 diode) with (mount$3 hold$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:21

-	9125	(led$1 diode) with leads	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:21
-	2690	((led$1 diode) with (mount$3 hold$3)) and ((led$1 diode) with leads)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:21
-	338	(((led$1 diode) with (mount$3 hold$3)) and ((led$1 diode) with leads)) and 362/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/10/16 14:24
-	211677	(light ray$1 beam$1 radiation) with (uniform homogen$5 even)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:11
-	149	((((led$1 diode) with (mount$3 hold$3)) and ((led$1 diode) with leads)) and 362/$.ccls.) and ((light ray$1 beam$1 radiation) with (uniform homogen$5 even))	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:11
-	216460	(light ray$1 beam$1 radiation illumination) with (uniform homogen$5 even)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:12
-	103	((light ray$1 beam$1 radiation illumination) with (uniform homogen$5 even)) with (diode led$1) with three	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:14
-	2	(((light ray$1 beam$1 radiation illumination) with (uniform homogen$5 even)) with (diode led$1) with three) with degree$1	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:15
-	6	(((light ray$1 beam$1 radiation illumination) with (uniform homogen$5 even)) with (diode led$1) with three) with circ$4	USPAT; US-PGPUB; EPO; JPO	2003/10/16 15:16
-	26	((led$1 diode$1) with flange$1) same diffus$3	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:02
-	24	(gas$2 with opacit$3) and (percent with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:03
-	4	((gas$2 with opacit$3) and (percent with opacit$3)) and magnesium	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:03
-	512	transmissometer (gas$2 with opacit$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:06
-	71	(transmissometer (gas$2 with opacit$3)) and magnesium	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:06
-	1	(transmissometer (gas$2 with opacit$3)) and (magnesium with diffus$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:06
-	9	(transmissometer (gas$2 with opacit$3)) and (magnesium with oxidiz$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/16 17:06